FORM PTO-1449

U.S. BEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO. OKTA-10

SERIAL NO. O 8 / 722,742

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

APPLICANT

Koichiro Hori et al

(Use several sheets if necessary)

FIUNG DATE 10/1/96 **GROUP** 3302 5732

U.S. PATENT DOCUMENTS

EXAMINER Initial		DOCUMENT NUMBER							DATE	HAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE	
De		4	8	3	2	0	0	. 3	5/89	Yabe	128	6 7	:	
		4	8	6	2	8	7	3	9/89	Yajima et al	128	6 /		
		4	8	6	7	1	3	7	9/89	Takahashi	128	6/		
		4	8	7	3	5	7	2	10/89	Miyazaki et al	358	9/8		
		5	0	0	8	7	9	3	4/91	Copeland	362	4/13		
		5	0	3	3	5	2	8	7/91	Volcani	160 /	ß51		
		5	1	2	2	6	5	0	6/92	McKinley	250 /	208.1		
		5	1	9	1	2	0	3	3/93	McKinley	250/	208.1		
/		5	ī	6	6	7	8	7	11/92	Irion	35/8	98		
7		5	2	0	9	5	6	2	5/93	Glassford	3/62	378		
XV	1	5	2	2	2	4	7	7	6/93	Lia	128	6		

FOREIGN PATENT DOCUMENTS

		1 00	O M M	nut i	N SLM	ירט	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
		ш	CUMI	וותב	TUMU	KI	DATE				YES	Ю
•												

DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Sm	"Desktop Color Video Camera For Scientific Applica-
0	tions", FlexCam Scientific; Videolabs, undated.
Sm	Wood et al., "Stereoendoscopy Gives Surgeons Normal
	Vision", Photonics Spectra, September 1993.
	·

EXAMINER

LEWISLEN DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.